Safety Data Sheet



Advanced Nutrients Sensi Grow Part "B" pH-Perfect Base Nutrient

Section 1. Identification

GHS product identifier

Other means of

identification

Recommended use of the chemical and restriction on

use

Supplier/Manufacturer's

details

: Advanced Nutrients Sensi Grow Part "B" pH-Perfect Base Nutrient

: Product Code: 6251

Formula Code: 002B

: A plant nutrient used to obtain faster growth and larger yields in all kinds of growing media. Not to be used as food or

feed in any forms.

: Advanced Nutrients Ltd.

109-31063 Wheel Ave.

Abbotsford, BC Canada V2T6H1 Tel: (877) 604-8637

Email: info@advancednutrients.com

www.advancednutrients.com

Emergency Phone number: 24 Hour Transportation Emergency Number –

CHEMTREC 1-800-424-9300 U.S.A, Canada, International

Section 2. Hazard Identification

GHS classification of the

substance/mixture

: Neither the mixture nor its major constituents are listed in (a) the CLP/GHS database (Table 3.1 and 3.2 of Annex VI to CLP) and (b) OSHA Laws & Regulations (29 CFR - 1910)

Subpart Z: Table Z-1 to Z-3) as hazardous materials.

GHS label elements

Pictogram symbol Signal word

Hazard statement

Not applicable.Not applicable.

: Not hazardous.

Precautionary statement

General : Read label before use.

Keep out of reach of children.

If medical advice is needed, have product container or label

at hand.

Prevention: Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Response : If skin or eye irritation occurs get medical advice/attention.

If in eyes: rinse cautiously with water for several minutes.

Storage : Store in cool and dry place.



Disposal

: Dispose of contents and container in accordance with local, regional, national and international regulations.

Other hazards (not covered the GHS

Potassium nitrate is used in the manufacture of this product. The US National Fire Protection Association (NFPA) Code 430 (1995) has classified Potassium nitrate as oxidizing material in Class 1, which do not cause spontaneous ignition when it comes in contact with combustible materials.

Section 3. Composition/Information on Ingredients

Substance/Mixture: Mixture

Chemical identity : Not applicableCommon name/synonym : Not availableCAS number and other : Not applicable

unique identifiers

Impurities and stabilizing

additives

: Not applicable

Ingredient name	CAS number	% (w/w)	Classification according to OSHA Law & Regulations
Potassium Nitrate	7757-79-1	10-30	Not classified as hazardous
Potassium Sulfate	7778-80-5	1-5	Not classified as hazardous
Urea	57-13-6	5-10	Not classified as hazardous

The chemical identity of the remaining ingredients and their exact proportions used in the mixture are a proprietary trade secret (protected by the Confidential Business Information – CBI) and, within the current knowledge of the manufacturer and in the concentration applicable, they are not hazardous to health or the environment.

Section 4. First-aid Measures

Description of necessary measures

Self-protection of first-	:	Pay attention to self-protection. No action shall be taken
aiders		involving any personal risk or without suitable training. It
		may be dangerous to the person providing aid to give mouth-
		to-mouth resuscitation.

General information : Remove contaminated clothing immediately. In case of accident or unwellness, seek medical attention immediately.

Inhalation : Move victim to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if

adverse health effects persist or are severe.

Skin contact: Wash contaminated skin with plenty of water and soap. Wash contaminated clothing and clean shoes before reuse.

#109 - 31063 Wheel Avenue, Abbotsford, BC, Canada V2T 6H1 / Toll Free: 1.877.604.8637



Get medical attention if adverse health effects persist or are severe.

Eye contact : Immediately flush eyes with plenty of water with the eyelids

open. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. Get medical attention if adverse

health effects persist or are severe.

Ingestion: If material has been swallowed and the exposed person is

conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing

such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed:

Inhalation : Exposure to decomposition products may cause a health

hazard. Serious effects may be delayed following exposure.

Skin contact: Not known health effect due to skin contact.

Eye contact : If in eyes, it causes eye irritation.

Ingestion: If swallowed, it irritates mouth, throat and stomach.

Indication of immediate medical attention and special treatment needed:

Notes to physician : In case of inhalation of decomposition products in a fire,

symptoms may be delayed. The exposed person may need to

be kept under medical surveillance for 48 hours.

Specific treatments : No specific treatment.

See also toxicological information (Section 11).

Section 5. Fire-fighting Methods

Suitable extinguishing : Any media suitable for extinguishing a surrounding fire.

media

Unsuitable extinguishing: Not known.

media

Specific hazards arising from

Specific flazarus arising fi

the chemical

Special protective

equipment for fire-fighters

: In a fire, hazardous thermal decomposition products may be produced including nitrogen oxides and metal oxide/oxides.

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus with a full face-piece

operated in positive pressure mode.



Special protective precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. Risk of explosion. If large quantities are involved in a major fire, evacuate the area. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. Fight fire from protected location or maximum possible distance.

Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency personnel

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and clean up

Small spill

: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Do not absorb in sawdust or other combustible material. It may lead to a fire risk when it dries out. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Do not absorb in sawdust or other combustible material. It may lead to a fire



risk when it dries out. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

Section 7. Handling and Storage

Precautions for safe handling

Advice on general

hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas.

Protective measures

Put on appropriate personal protective equipment. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from clothing, incompatible materials and combustible materials. Keep away from heat. Empty containers retain product residue and can be hazardous. Do not reuse container.

Conditions for safe storage and any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Separate from reducing agents and combustible materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure Controls/Personal Protection

Control parameters

Occupational exposure

limits

Biological limit values

None.

None.



Appropriate engineering controls

: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before breaks and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

Personal Protective Equipment (PPE)

: PPE should be used in conjunction with other control measures, including engineering controls, ventilation and isolation. See Section 5 (Fire-fighting measures) of the SDS for specific fire/chemical PPE advice.

Eye/face protection Skin protection : Do not get in eyes. Wear chemical safety goggles and a face shield if splashing hazard exists.

: Avoid skin contact. Wear gloves when handling the product directly.

Respiratory protection

: Not normally required if the product is used as directed. Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary.

Thermal hazards : None.

Section 9. Physical and Chemical Properties

Appearance (physical state) : Liquid, Clear lightly yellow transparent

Odor : Mineral

Odor threshold : Not available pH : 5.11-5.69

Melting point/Freezing : Not available

point

Initial boiling point and : 100°C (212°F)

boiling range

Flash point : Not available



Evaporation rate : Not available Flammability (solid, gas) : Not available **Upper/lower flammability** : Not available

or explosive limits

Vapor pressure : Not available **Vapor density** : Not available **Relative density** : 1.143 – 1.190g/ml Solubility (ies) : Complete in water : Not available

Partition coefficient: n-

octanol/water

Auto-ignition temperature : Not available **Decomposition temperature** : Not available Viscosity Not available

Section 10. Stability and Reactivity

Reactivity : Not available. **Chemical stability** Normally stable.

Possibility of hazardous

reactions

: Hazardous reactions or instability may occur under certain conditions of storage or use, such as contact with

combustible materials which may result risk of causing or

intensifying fire.

Conditions to avoid : Freezing temperatures.

Incompatible materials : Reducing materials, organic materials, metals and acids.

: None under normal conditions of storage and use. **Hazardous decomposition**

products

Section 11. Toxicological Information

Acute toxicity

Oral LD50	_		Remark
	Rat	>2000 mg/kg bw	At 60% concentration
Inhalation LC50	Rat	>0.527 mg/L air	
Dermal LD50	Rat	>5000 mg/kg bw	
Oral LD50	Rat	No toxicity	For analog substance (KCI)- 6600 mg/kg bw
Inhalation LC50	Rat	No toxicity	Not significant for analog substance
Dermal LD50	Rat	>2000 mg/kg bw	Not toxic
Oral LD50	Cow	600-1080 mg/kg bw	Lower toxicity
Inhalation LC50	-	No toxicity	
Dermal LD50 -		No toxicity	
	Dermal LD50 Oral LD50 Inhalation LC50 Dermal LD50 Oral LD50 Inhalation LC50 Dermal LD50	Dermal LD50 Rat Oral LD50 Rat Inhalation LC50 Rat Dermal LD50 Rat Oral LD50 Cow Inhalation LC50 -	Dermal LD50 Rat >5000 mg/kg bw Oral LD50 Rat No toxicity Inhalation LC50 Rat No toxicity Dermal LD50 Rat >2000 mg/kg bw Oral LD50 Cow 600-1080 mg/kg bw Inhalation LC50 - No toxicity Dermal LD50 - No toxicity



Skin corrosion/irritation : Not-irritating to the skin (Potassium nitrate, Potassium

sulfate and Urea).

Serious eye : Non-irritant (Potassium nitrate and Potassium sulfate).

damage/irritation Mildly irritating to eyes (Urea).

Respiratory or skin : Non skin sanitizer (Potassium nitrate, Urea).

sensitization

Germ cell mutagenicity : No data available. **Carcinogenicity** : No data available.

Reproductive toxicity: No adverse effect (Potassium nitrate and Potassium sulfate).

No data available (Urea).

STOT-single exposureSTOT-repeated exposureAspiration hazard:No data available.No data available.

The Likely routes of exposure, health effects and Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : If in eyes, it causes eye irritation. The symptoms may include

irritation, watering and redness.

Inhalation : There is no known health effect.Skin contact : There is no known health effect.

Ingestion : It is harmful if ingested. Irritating to mouth, throat and

stomach. There is no known health effect.

Delayed and immediate effects and also chronic effects from short or long term exposure

Short-term exposure

Potential immediate : Not known.

effects

Potential delayed effects : Not known.

Long-term exposure

Potential immediate : Not known.

effects

Potential delayed effects : Not known.

Potential Chronic health effect : Not known.

Numerical measures of toxicity

Acute toxicity estimate

Oral : No data available.

Inhalation of vapors : No data available.



Section 12. Ecological Information

Toxicity				
Ingredient name	Result	Species	Exposure	Reference
Potassium nitrate	Acute LC50 490 mg/l Fresh water	Aquatic invertebrate - Daphnia	- 48 hours	IUCLID 5
	Acute LC50 1378 mg/L Fresh water	Fish – Poecilia reticulata	96 hours	ECHA
Potassium Sulfate	Acute LC50 720 mg/l Fresh water	Aquatic invertebrate - Daphnia	- 48 hours	ECHA
	Acute LC50 680 mg/l Fresh water	Fish- Fathead minnows	96 hours	ECHA
Urea	Acute LC50 > 6810 mg/l Fresh water	Fish – Golden orfe fish	96 hours	ECHA

Persistence and : No data available.

degradability

Bioaccumulative potential : No data available.

Mobility in soil : No data available.

Other adverse effects : No known significant effect.

Section 13. Disposal Considerations

Disposal of waste methods		Disposal of all waste must be done in accordance with municipal, provincial and federal regulations. Dispose of
Contouring to discouring		surplus and non-recyclable products via a licensed waste disposal contractor. No sewage disposal!!
Contaminated packaging	:	Empty containers should be recycled or disposed of through an approved waste management facility. Persons conducting disposal, recycling or reclamation activities should follow the information in Section 8 of this SDS.

Section 14. Transport Information

Identification of ingredients according to UN Model Regulations						
UN number	This product is a mixture of ingredients which are not listed as					
UN proper shipping name	'Dangerous Goods' in Chapter 3.2 of UN Recommendations on					
Transport hazard class(es)	the Transport of Dangerous Goods and/or one or more					
Packing group	ingredients are included in the list but their mixture i exempted from the same Regulation based on the Article					
	2.0.2.5 (C), 2.0.2.7 and 3.3.1 No. 208.					
Special precaution for user	Transport within user's premises: always transport in closed					
	containers that are upright and secure. Ensure that persons					



	transporting the product know what to do in the event of an
	accident or spillage.
Transport in bulk	Not applicable (≤ 1000L-container).

Environmental hazards

Ingredient's name	IMDG	UN	ADR	RID	ADN
Potassium nitrate	No	No	No	No	No

Section 15. Regulatory Information

Safety, health and environmental regulations	:	No kn	own	specific	national	an	ıd/or
specific for the product in question		regional re		ulations	applicable	to	this
		product (including its ingredients).					

Section 16. Other Information

Prepared by : Department of Product Development, Advanced Nutrients

Ltd., Canada

Date of preparation (d/m/y) : 24/03/2015

Version : 4

Date of Revision : 16/04/2020 Revised Sections : Section 1

Key Acronyms:

ADN : The European Agreement concerning the International

Transport of Dangerous Goods by Inland Waterways

ADR : The European Agreement concerning the International

Carriage of Dangerous Goods by Road

BW : Body weight

IATA : International Air Transport Association shipment of

Dangerous Goods Regulation

IMDG : International Maritime Dangerous Goods code

RID : The Regulation concerning the International Carriage of

Dangerous Goods by Rail

SDS : Safety Data Sheet

Key Literature References:

Convention concerning International Carriage by Rail (COTIF) Appendix C – Regulation concerning the International Carriage of Dangerous Goods by Rail (RID), with effect from 1 January 2013. Intergovernmental Organisation for International Carriage by Rail (OTIF). Berne, Switzerland, 2012.

European Chemical Agency (ECHA) 2015. Information on Chemicals: Registered substances http://echa.europa.eu/information-on-chemicals/registered-substances. Online Database. Accessed on March 16, 2015.

European Agreement concerning the International Transport of Dangerous Goods by



- Inland Waterways (ADN), including the Annexed Regulations, applicable as from 1 January 2013. Volume I and Volume II. ECE/TRANS/231 (Vol. I & II). UN Economic Commission for Europe-Committee on Inland Transport. New York and Geneva, 2012.
- European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), applicable as from 1 January 2013. Volume I and Volume II. ECE/TRANS/225 (Vol. I & II). United Nations Economic Commission for Europe-Committee on Inland Transport, New York and Geneva, 2012.
- **Globally Harmonized System of Classification and Labelling of Chemicals**. 5th Edition. ST/SG/AC. 10.30/Rev. 5. United Nations, New York and Geneva, 2013.
- Guidance on Labelling and Packaging Regulation in Accordance with EU Regulation 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation). European Chemical Agency, Finland, 2011.
- International Maritime Dangerous Goods (IMDG) Code Volume 1 and 2. Incorporating Amendment 33-06, 2006 Edition. International Maritime Organization. London, 2006.
- OSH Answers Fact Sheets. Canadian Centre for Occupational Health and Safety. http://www.ccohs.ca/oshanswers/chemicals/oxidizing/oxiziding hazards.html Accessed on Aril 08, 2015.
- OSHA Law and Regulations. Occupational Safety and Health Standards 29 CFR: 1910. https://www.osha.gov/law-regs.html Accessed on April 15, 2015.
- Recommendations on the Transport of Dangerous Goods Manual of Test and Criteria. 5th Edition. ST/SG/AC. 10/11/Rev. 5. United Nations, New York and Geneva, 2009.
- Recommendations on the Transport of Dangerous Goods Model Regulations. 18th Edition. Volume I and II. ST/SG/AC. 10/1/Rev. 18. UN, New York and Geneva, 2013.
- Regulation (EC) No. 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Official Journal of the European Union L 353/1. 2008.
- **Others**
- : The data here is for hazard communication to our employees, our customers and their employees and authorized regulatory agencies. For the intended purpose, this SDS may be duplicated or the data transcribed to an alternative form.
 - Note: The information contained herein is provided in good faith and is believed to be correct as of the date of hereof. However, Advanced Nutrients Ltd. makes no representation as to the comprehensiveness or accuracy of the information provided. It is expected that individuals receiving the information will exercise their independent judgement in determining the appropriateness for a particular period. Accordingly, Advanced Nutrients Ltd. will not be responsible for damages of any kind resulting from the use of or reliance upon such information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or any other nature are made hereunder to which the information refers. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment.